



J4
4-PIN CONNECTOR
PINOUT

PIN 1 AXIS 1
 PIN 2 AXIS 2
 PIN 3 AXIS 3
 PIN 4 GND RETURN

VIEW LOOKING INTO
4-PIN CONNECTOR
ROTATED 90° SCALE 2X

1 XX = CABLE LENGTH IN FEET, e.g., MODEL 6014A03 IS A CABLE 3 FT. LONG.
 2 SEE WIRING DIAGRAM 110-0153.

ALL PART NUMBER LETTERSUFFIXES ARE TOBE INTERPRETED ASFOLLOWS:
 I.E. - 107-0000-01 (X)

M - MACHINED ONLY (UNPLATED) G - MATERIAL HAS BEEN GRAINED
 P - PLATED/PAINTED S - MATERIAL HAS BEEN SAWCUT
 H - HEAT TREATED E - ENVIRONMENTAL TEST

REDRAWN ON CAD 8/7/97

EXCEPT AS OTHERWISE NOTED

ALL DIMENSIONS IN INCHES
 TOLERANCE: .XXX = ± .XX = ±

SURFACE FINISH ✓
 EXCEPT AS NOTED

BREAK EDGES TO DEBURR
 RADIUS OR CHAMFER

△ THESE DIAS ○ TO T.I.R.

FILLETS - MAX RAD.



CHATSWORTH, CA.

SCALE	1X	REV	-	DATE	-	ECN	-
DATE	8-7-97	PART NO.					
DRAWN	N.C.	CHECKED	R.A.	MAT'L			
APPROVED				NEXT ASSEMBLY		USED ON	
TITLE						DWG NO.	
OUTLINE/INSTALLATION DRAWING, MODEL 6103 TRIAXIAL POWER ADAPTOR						127-6103	
						SHEET 1 OF 1	